
S Prairie County
333.72 Conservation Needs
M26Lw40 Committee
1975? Our land and
water, Prairie
County, Montana

MONTANA STATE LIBRARY
S 333.72 M26Lw40 1975? c.1
Our land and water, Prairie County, Mont
3 0864 00077737 8

OUR LAND AND WATER

LAND IN PRAIRIE COUNTY



Prairie Co. Grazing District made this publication possible.



Brown soils on gravel capped benches within the bedrock plains. Textures range from sandy to medium with medium textures on about half of the area. Soils on the central portion of the benches are deep with shallow gravelly soils along the bench edges. Dryland farming and range.



Alluvial soils of the valleys within the bedrock plains. Deep medium textured and moderately heavy soils predominate, but both heavy and sandy soils occur and there are some shallow soils. Irrigated cropland and range.

PRAIRIE COUNTY, MONTANA




JUN 03 1992

MONTANA STATE LIBRARY 1515 E. 6th AVE. HELENA, MONTANA 59620

In Prairie County there are - - - - - - - 1,105,280 acres The Area of Federal Land is - - - - - 451,054 acres Towns, roads, water, etc. amount to - - - 9,737 acres This leaves a conservation responsibility on 644,489 acres

LAND USE TODAY AND EXPECTED BY 1975



Dry cropland will decrease slightly. Marginal cropland will be seeded to tame pasture. This will be offset somewhat by present rangeland going into cropland use.

Irrigated cropland will increase due to development of new irrigation systems.

Rangeland will decrease slightly. The loss will be to developing land for irrigation and dry cropland.

Tame pasture will increase by twothirds mostly from reseeding of dry cropland.

Woodland areas will remain nearly the same. Any increase would be due to farm and field shelterbelts.

Nonagricultural use of rural land will increase. Irrigation and drainage systems will account for most of the increase.

Land taken out of farms for highways and other public uses will increase.

TREND IN LAND USE





EXPLANATION: Irrigation development is increasing. This increase results in more intensive use of land, creating more conservation problems. The photo on the left shows the area immediately south of Terry in 1942. The photo on the right shows the same area in 1958.

Why The Inventory: To assure the wise use of our basic resources we need facts about physical problems of conservation, their magnitude and relative urgency. This inventory contains these facts. It will be modified and kept current with advances in technology and increased knowledge.

How It Was Made: The inventory was initiated in 1957, as part of a national inventory authorized by the Secretary of Agriculture. It is based upon soil surveys of 160 acre samples drawn at random. The soil survey samples were expanded to represent actual conditions in the county. The county committee used this information along with their knowledge of the county to develop estimates of expected changes by 1975.

Who Did It: The inventory and this leaflet were prepared by the Prairie County Conservation Needs Committee. The committee consisted of representatives of the County Extension Service, Agricultural Conservation Program Service, Prairie County Cooperative State Grazing District, County Assessors Office, Buffalo Rapids Project, Bureau of Land Management, County Commissioners, and the Soil Conservation Service, which acted as chairman.

THE PROBLEMS AND NEEDED TREATMENT







DRY CROPL/ND	107,001	acres
69% or 73,298 acres of Dry Cropland are		
adequately treated		
31% needs treatment -		
a. Erosion is the dominant problem on -	29.515	acres
(Strip cropping, stubble mulch,		
grassed waterways, etc.)		
b Unfavorable soil is dominant		
problem on	4,188	acres
(Crop rotation, fertilizer, narrow	,	
strips)		
IRRIGATED CROPLAND	12,183	acres
50% or 6,093 acres are adequately treated		
50% needs treatment		
a. Erosion is dominant problem	3,406	acres
b Excess water is dominant problem	500	acres
c Unfavorable soll is dominant problem	2,129	acres
d Climate conditions dominant problem-	55	acres

	ND (Range, Tame Pasture, Irrigated	517,884	acres
74% 01	384,404 acres are adequately		
trea	ated		
26% ne	eeds treatment -		
,	Needs reseeding	4.898	acres
b	Improvement (Deferred grazing pri-	,,,,,,	
	marily)	51,700	acres
С	Over-grazed (Proper stocking, and	0.,,,,	
_	better distribution)	76,682	acres
d	Needs stockwater	76,360	
e	Protection from fire	155.036	
-		,	
f	Severe erosion problem	700	acres
g	Rodent control	125	acres
h	Encroachment of plants	500	acres
í	Insects and disease	2,200	acres
j	Needs water conservation	800	acres
k	Excess water	0	acres







WOODLAND -					-		-	2,025	acres
a Pr	rctection	from f	ire -		-		-	504	acres
b 1r	nsect and	diseas	e cont	rol -			-	5	acres
c Pr	rotection	from a	nimals		-		-	15	acres
d Es	stablishme	nt of s	shelte	rbelt	s	-	-	25	acres
o F	stablishme	nt of	field	windb	rea	ks	-	2	miles

LAND USE CHANGE BY CAPABILITIES

	Land Use					.		
Land	1958				CHANGE	BY 1975		
Capability Class	7		PLAND	GRASSLAND				OUT OF
<u> </u>	CROPLAND	INVIONIER	DRY	PASTURE	RANGE	WOODLAND	OTHER	AGRI. USE
1	1128	1128						
H	2176	2101					25	50
Ш	1381	1331						50
IV	1085	1035						50
VI	2783	2783						
VII	171	171						
	Dry Gropland							
11	2207		2157			10		40
nı	84704	523	83416	475		15	15	260
IV	9015		8165	850				
V	2204		2204					
VI	11020	45	8430	2545				
VII	29		29					
	* RANGE							* Included Irrigated
11	13785	210			13575			
111	83545	2206	2600	50	78529		10	240
IV	51634	150			51529		15	30
VI	* 186700	500			187500			230
VII	175776				176666			400
VIII	1099						1099	
	Tame Pasture							
11	397			397				
111	2362			2340	22			
IV	110			110				
VI	3296			3296				
Woodland							-	
VI	1800					800		
VII	200					200		
	Other							
11	16			 			16	
111	5122				-		5122	
IV	16						16	
VI	658						658	
VII	70						70	
TOTAL	644489	12183	107001	10063	**507821	2025	704-6	1350

EXPLANATION: Quite a lot of the poorer dry cropland will be seeded to grass. Some of the better rangeland will be cultivated for use as either irrigated or dry cropland. Some of nearly all land classes will go into nonagricultural use.

^{** 3000} acres BLM (Expected to come into inventory by 1975)



LAND CAPABILITY DEFINITION

SUITABLE FOR CULTIVATION			NOT SU	ITABLE F	OR CULT	IVATION	
CLASS I	CL ASS 11	CLASS III	CLASS IV	CLASS V*	CLASS VI	CLASS VII	CLASS YIII
Very Good Land	Good Land	Moderately Good	Fairly Good Land		for Pasture, nd Woodlar		Suitable for Wildlife and
No Li mitations	Minor Limitations	land with Major	Occasional Cultivation with severe			Watershed	
Increasing Permanent Limitations							

^{*}Some soils in Classes Vand VI can be used for crops with unusually intensive management.

WATERSHED INVENTORY

What Was Done: Disregarding county or other political divisions the natural drainages were divided into units of 250,000 acres or less. Each subdivision was studied by the committee to determine treatment needs and possible developments which might be met through the small watershed program by other kinds of local group action.

What It Revealed: The watershed areas on the north side of the Yellowstone are mainly rangeland. The area south of the Yellowstone is rangeland and dryland farming area. A few watersheds along the Buffalo Rapids Project need treatment for erosion and flood control. Early project action is not likely. Small group action is anticipated for improving irrigation facilities.

MINUTES OF CONSERVATION NEEDS COMMITTEE

PRAIRIE COUNTY Terry, Montana

The meeting of the Conservation Needs Committee was held at the SCS Office on February 20, 1963.

The meeting began at 10:15 A.M. and was for the purpose of estimating the practices and amounts of each needed to provide the treatment on the various land uses. Estimates were made as of December 30, 1962.

Present at the meeting were Don G. Hubber, SCS; Emmett Gardner, Manager, Buffalo Rapids Irrigation Project; Phil Wilson, County Agent; and Phil Murphy, ASC County Committee Chairman.

Attached are the estimates made by the Committee.

The meeting adjourned at 4:30 P.M.

Don G. Hubber

SUPPLEMENT TO THE PRAIRIE COUNTY CONSERVATION NEEDS INVENTORY

The following is an estimate made by the committee of the practices and amounts of each needed to provide the treatment needed on the various land uses. Estimates were made as of December 30, 1962.

LAND USE - DRY CROPLAND

Practice	Unit	Amount
Conservation Cropping System	Acres	4,188
Diversion Ditches	Miles	150
Diversion Dams	No.	750
Grass Waterways	Acres	300
Contour Stripcropping	Acres	8,000
Striperopping Across Slope	Acres	7,000
Wind Striperopping	Acres	2,500
Stubble Mulching	Acres	33,000
LAND USE - IRRIC	GATED CROPLAND	
Drain Ditches (Deep Drains Sub-Sur- face)		
1800/	Miles	20
Irrigation Canals or Laterals	Miles Miles	20 40
·		
Irrigation Canals or Laterals	Miles	40
Irrigation Canals or Laterals Field Ditches	Miles	40
Irrigation Canals or Laterals Field Ditches Land Leveling	Miles Miles Acres	40 70 3,500
Irrigation Canals or Laterals Field Ditches Land Leveling Irrigation Storage Reservoirs	Miles Miles Acres No.	40 70 3,500 30

Practice	<u>Unit</u>	Amount					
LAND USE - DRY PASTURE & HAYLAND							
Hayland Planting	Acres	4,000					
Pasture Planting	Acres	9,000					
Proper Pasture Use	Acres	9,000					
LAND USE - IRRIGATE	D PASTURE & HAYLAN	<u>ID</u>					
Pasture Planting	Acres	150					
Pasture Proper Use	Acres	150					
Rotation Grazing	Acres	150					
Hayland Planting	Acres	2,000					
LAND USE -	WILDLIFE						
Fish Pond Stocking	No.	65					
Wildlife Habitat Development	Acres	75					
LAND USE -	WOODLAND						
Farmstead & Feedlot Windbreaks	Acres	100					
Field Windbreaks	Acres	500					
TAND USE	: - RANGE						
Grade Stabilization Structures	No.	125					
		250					
Brush & Weed Control	Acres						
Farma Ponds	No.	250					
Cross Fencing	Miles	200					
Pipelines for Livestock Water	Miles	5					
Deferred Grazing	Acres	100,000					

Supplement to the Prairie County Conservation Needs Inventory

Practice	Unit	Amount
<u>L</u>	AND USE - RANCE	
Range Proper Use	Acres	125,000
Range Seeding	Acres	4,898
Spring Development	No.	65
Waterspreading	Acres	6,000
Wells	No.	400

